

**METHOD AND KIT FOR DETECTING MICROORGANISMS****CROSS-REFERENCE TO RELATED APPLICATIONS**

This application is based on a Provisional Application, Serial No. 60/194,666, filed on

5 April 4, 2000.

**FIELD OF THE INVENTION**

This invention relates to a method and a kit for the detection and collection of microorganisms from the air and from surfaces utilizing a collection device that employs a dry collection methodology and a dry growth medium, and a container of a premeasured volume of liquid for hydrating the dry growth medium after microorganism collection on the dry growth medium has occurred.

**BACKGROUND OF THE INVENTION**

Many molds are considered to be harmful microorganisms. Mold spores are minute propagating units that facilitate the growth and spread of mold colonies. Inhalation of mold spores and other microorganisms into the lungs of humans has been found to be a significant factor in causing a number of different pneumoconioses and other health problems such as allergies, headaches, and fatigue. Most molds require oxygen and water to live and the aerobic molds of our environment are known to multiply and migrate by producing and releasing millions of mold spores into the air.

Methods for estimating the relative environmental mold spore bioburden count exist,

but these methods involve the collection of environmental air mold spores on wet media such as Sabouraud's Dextrose Agar (an aqueous suspension of gelatin and nutrients that solidifies to a semi-solid, water-based gel below 45°C). Exposing sterile Sabouraud Dextrose Agar in an open container such as a petri dish to air containing mold spores can result in mold spores settling on the agar on which they can then germinate and grow. After a number of days, the colonial growth resulting from the germination of a single spore may be so large that the colony may be visually discernable without the use of magnification equipment.

An example of the device described above is disclosed in U.S. Pat. No. 3,968,012 which provides a device for detecting bacteria and other microorganisms carried in the air inside of hospital respiratory machines, such as ventilators and anesthesia gas machines. The device comprises a culture medium dish, a cylindrical casing, and a sanitary cover where the dish and cover are substantially similar to a petri dish. In operation, the device is attached to the vent of a respiratory machine, and the cylindrical casing controls the flow of the air to the medium dish so that microbial particles are collected from the air.

Many other devices in the prior art combine machinery with wet culture media to sample air for testing. For example, U.S. Pat. No. 3,956,070 discloses a device comprising a casing to direct a flow of air over a cartridge containing a culture medium. The cartridge is comprised of a two-sided strip that is wound around two reels with a culture medium spread over each side of the strip. In operation, air is vented through the casing and over both sides of the culture medium strip. U.S. Pat. No. 3,980,524 discloses a device resembling the shape of a common flashlight which comprises a casing that houses batteries, a motor with a drive-

shaft and flanges, and a culture medium cup. In this device, the motor is employed with the drive-shaft and flanges to direct a volume of air over the medium cup.

Dry growth media has been used to detect microorganisms in liquid samples. U.S. Patent No. 4,565,783 discloses a device for growing microorganisms, comprising a self-  
5 supporting water-proof substrate, a layer of adhesive coated thereon, and a coating of dry, cold-water-soluble growth medium powder adhered uniformly to the surface of the adhesive. In accordance with the teachings of U.S. Patent No. 4,565,783, when an aqueous test sample is placed on the substrate in contact with the dry growth medium powder, the growth medium is hydrated to a gel and germination of microorganisms present in the test sample may result.

Since environmental mold spores are and have been associated with adverse health effects in humans, it is desirable to monitor the environmental mold spore bioburden count in dwellings, office buildings, schools and other indoor areas inhabited by people. Various health organizations routinely monitor environmental air in specific locations for mold spores using passive and active agar impaction methods, however, these organizations generally do not test  
15 individual homes, businesses, churches, etc. There are health professionals who, for a fee, monitor the air for environmental mold spores in an individual's most frequently inhabited environments, but fees are high and anonymity may not be maintained during and/or after the testing.

Establishing the environmental mold spore count by moist agar impaction methods  
20 utilizing Sabouraud Dextrose Agar or other known nutrient formulations, for example trypticase soy agar as disclosed in U.S. Patent No. 3,968,012, has many associated problems.

The first problem is that sealed agar plates utilized in moist agar impaction methods have a relatively short shelf life, on the order of a few weeks at most. Further, moist agar can lose its moisture rapidly over time and, as a result, its ability to support microorganism germination and growth decreases rapidly to a point where germination may not occur at all.

5 In addition, the use of moist agar to collect environmental mold spores may create what can be described as a time lag problem. An environmental mold spore impacting an unsealed hydrated microbiological growth medium during the first moments of exposure, i.e., the first minute in a 60-minute exposure, may enjoy distinct survival advantages as compared to an environmental mold spore impacting a desiccated microbiological growth medium during the last moments of the exposure as a direct result of changes in moisture conditions of the growth medium over the exposure interval. The latter arriving spores may germinate only very slowly producing a micro-colony that may be too small to be visually enumerated, or may not even germinate at all. An undercount of the actual population of spores can result producing an inaccurate assessment of the true population of environmental mold spores in the location under analysis.

The known methods of the prior art typically employed in air quality sampling are the use of passive agars in petri dishes or agars which are inserted into active volumetric pump samplers. The use of agars in air quality sampling has multiple impediments for the individual consumer/user, including increased costs for preparation and storage and shipping, a very  
20 short shelf life and, if active volumetric pump samplers are used, an extremely high purchase cost or rental cost.

## SUMMARY OF THE INVENTION

A useful method of environmental air and surface sampling which comprises the dry collection and subsequent hydration, growth and enumeration of microorganisms has been discovered. The use of such procedures has been found to overcome the problems of time-lag growth disparities and evaporation of the activating liquid during collection identified above. In addition, dry collection devices exhibit a relatively long shelf-life and provide the added advantage of being easier to handle, especially at the extremes of normal ambient temperatures.

The dry collection method of the present invention is accomplished by means of an easy to use, low cost home test kit to quantify the environmental mold spore and microorganism count and represents an important step in the reduction of environmental microorganism levels. Such a kit is also useful to educators teaching concepts of microbiology and mathematics. The method and kit is also a tool for use in monitoring work environments including commercial/industrial facilities.

One aspect of the present invention is a method of detecting microorganisms comprising the steps of exposing a dry collection device containing a dry growth medium to environmental microorganisms, adding a premeasured volume of liquid to the dry growth medium, and allowing collected microorganisms to grow into colonies. In certain embodiments, the exposure step may be accomplished by placing the collection device on a surface for a predetermined interval of time so that microorganisms in the air can settle out onto the collection device. Alternatively, the exposure step may also be accomplished by the direct

application of a dry adhesive collection device to a surface so that microorganisms located on the surface can be captured and transferred directly to the dry growth medium prior to hydration. While the step of adding a premeasured volume of liquid to the dry growth medium can be accomplished in a variety of ways all of which are considered to be within the scope of the invention, it is preferred that the liquid is applied so that only a predetermined area of the dry growth medium is hydrated. In such a fashion, the subsequent counting of microorganism colonies can be accomplished with respect to a standardized counting area and populations can be expressed in terms of colonies per unit area. One preferred technique for hydrating the dry growth medium involves the use of a hand press in which the press is placed on the cover over the liquid after its application to the dry growth medium and pressure is applied thereto sufficient to spread the liquid out over a predetermined area of the dry growth medium.

The growth step of the method of the present invention is accomplished by allowing a sufficient interval of time to elapse to permit the growth of microorganism colonies and, depending on the growth characteristics of particular microorganisms which are being detected, can involve the placement of the hydrated collection device in an ambient environment or in a non-ambient environment such as, for example, an incubator. Certain embodiments of the method of the invention further comprise the step of counting the colonies of microorganisms that have grown on the growth medium device after its exposure to air and after hydration of the dry growth medium. The results from the count can then be analyzed in accordance with a variety of parameters known in the art.

Another aspect of the present invention is a kit comprising a microorganism collection

device having a substrate and a layer of dry growth medium applied thereon, and a container of a premeasured volume of liquid for hydrating the dry growth medium once collection of microorganisms has occurred. In certain embodiments, the substrate of the device is waterproof and self-supporting, while in other embodiments the substrate is in the form of a tape comprising a non-porous layer and a micro-porous layer adhesively attached thereto. The dry growth medium applied thereon is preferably soluble in cold or ambient water and in the form of a powder. The powder may comprise a gelling agent in sufficient amount to provide a gel having a Brookfield viscosity of at least 1500 cps when hydrated with a premeasured amount of water. The dry growth medium may have sufficient inherent adhesive characteristics such that it may be adhered directly to the substrate. Alternatively, the bond between the dry growth medium and the substrate may be facilitated by means of an adhesive pre-applied to the substrate or by mixing the dry growth medium with an adhesive prior to application to the substrate. In another embodiment, the collection device further comprises an air-permeable membrane. The membrane may improve the growth of certain aerobic microorganisms if the growth medium is covered after exposure and hydration.

In certain embodiments, the collection device may further comprise a cover sheet releasably adhered to at least a portion of the substrate. The cover sheet is opened in the first step of the method to expose the dry growth medium to the environment, and then the cover sheet is closed after the liquid is added to the medium and before the liquid is spread over the medium. The cover sheet serves several functions including the protection of the dry growth medium from unintended premature exposures, the retention of microorganisms once the

collection step is completed, the retention of moisture once the hydrating liquid has been applied to the dry growth medium, and the preservation of the culture upon completion of microorganism colony growth.

In certain embodiments, the kit further comprises a hand press for applying the premeasured volume of liquid to a predetermined area of the dry growth medium. While the press may assume a variety of configurations that will accomplish the distribution of the liquid over the dry growth medium, the press preferably will comprise a pressing surface and a raised ring on the pressing surface defining a predetermined area such that the application of the press to the liquid on the growth medium results in the spreading out of the liquid to the full extent of the predetermined area. The resulting area in which the growth medium is hydrated allows for standardized counting so that microorganism populations can be expressed in terms of colonies per unit area. The kit of the invention can assume various configurations based on the needs and desires of the user as the kits may be tailored specifically for home, commercial/industrial, or office use and have applicability as well as teaching aids in schools and particularly for science instruction, all of which are considered to be within the scope of the invention.

The kit of the device is particularly intended for use by consumers without need for assistance or employment of a microbiologist, laboratory technician or other skilled personnel. The implementation of the quantifiable collection of environmental microorganisms from air and surfaces is made much more cost effective by employment of the collection methodology of the invention.



## BRIEF DESCRIPTION OF THE DRAWINGS

The invention may be further illustrated by reference to the accompanying drawings wherein:

5 FIG. 1 is a top perspective view of a preferred embodiment of a collection kit according to the present invention.

FIG. 2 is a view of the collection kit of FIG. 1 showing the contents of the collection kit.

FIG. 3 is a top perspective view of a collection device bearing a dry growth medium with a premeasured volume of liquid being applied to the dry growth medium.

FIG. 4 is a cross sectional view of the device of FIG. 3 with the cover sheet open.

FIG. 5 is a cross sectional view of the device of FIG. 4 with the cover sheet closed around a premeasured volume of liquid.

FIG. 6 is a top view of the device of FIG. 5 demonstrating the use of a hand press.

FIG. 7 is a cross sectional view of a hand press.

FIG. 8 is a cross sectional view of a single layer, non-porous plastic tape.

FIG. 9 is a cross sectional view of the tape shown in FIG. 8 with an additional micro-porous layer.

FIG. 10 is a cross sectional view of a filter pad placed within an enclosure.

20 FIG. 11 is a cross sectional view of a dry collection device illustrating its use in conjunction with a collection pad.

FIG. 12 is a top view of microorganism colonies grown on a collection device.

### DESCRIPTION OF THE PREFERRED EMBODIMENTS

With reference first to Figures 1 and 2, a kit 10 having the necessary components for practicing the method of the invention is disclosed. As explained in more detail hereinafter, the kit 10 comprises a packet containing a plurality of collection devices 12. Each collection device 12 may take various forms, a preferred form being marketed by 3M Company of St. Paul, Minnesota, under the trademark Petrifilm™. The Petrifilm™ collection device is one of a variety of dry collection devices having a surface shown at 13 in Figure 3 on which a nutrient broth for producing microbiological growth has been pre-applied and allowed to dry. Preferably, the surface 13 is non-porous. The surface 13 is preferably preprinted with a grid shown at 14 in Figure 3 which is visible through the nutrient medium so as to facilitate the counting of microorganism colonies. Each collection device 12 is preferably provided with a protective transparent film overlay shown at 15 in Figure 3, the overlay being adhesively attached to collection device 12 along one edge thereof as illustrated at 16.

The kit 10 is further provided with a multiplicity of ampules 17 containing a premeasured volume of sterile buffered water or other activation fluid sufficient for hydrating the dehydrated culture medium on the surface 13 of collection device 12. Typically, the ampules 17 are supplied with sterile, buffered water. The kit 10 further comprises a suitable hand press 18 utilized for dispersing the activating liquid from ampule 17 over a controlled area of the surface of collection device 12, as will be described in more detail hereinafter.

Finally, the kit 10 comprises suitable instructions 19 and an information sheet 20.

With reference now to the embodiment shown in Figures 3-7, when the user is ready to test a room or other space for the presence of molds or other microorganisms, a collection device 12 is removed from the packet of collection devices and the transparent film layer is pulled back in order to expose the surface carrying the dry growth medium as well as the inner surface of the transparent film layer. In certain embodiments, the inner surface of transparent film layer is also considered a collection surface on which microorganisms are collected. In such embodiments, the inner surface of the transparent film layer has disposed thereon an adhesive, a dry growth medium or a mixture thereof. The collection device 12 is then placed on a surface in the location where microorganisms are suspected of being present. Strips of adhesive tape, as shown at 11 in Figure 4, may be used to maintain the device in place with the film layer exposing the collection surfaces. The exposed collection device is preferably left in place for a period of about 0.5 hours to about 8 hours, and even more preferably from about 0.5 hours and about 2 hours, with during which airborne microorganisms will settle out and deposit themselves on the growth medium.

After a predetermined interval of time has elapsed, the collection period is concluded and the contents of an ampule 17 is then dispensed onto the surface 13 of collection device 12. As indicated in Figures 3 and 5, the transparent film layer is then placed over the activating liquid on the surface 13 of collection device 12, and as illustrated in Figure 6, the hand press 18 is pressed down to disperse the liquid over the dry growth medium. As can be seen in Figure 6, the applicator 18 is provided with an annular ring 21. When pressed downwardly, the activating liquid is dispersed to uniformly contact substantially all of the growth medium

within the area defined by ring 21. In certain embodiments, the device is then placed in an aerobic container which is stored in a dry place, preferably at room temperature, so that the microorganisms will grow into visible colonies.

In a period of about 3-5 days, if any viable microorganisms were collected on the collection device, their colonies should become visible on its surface 13 as viewed through cover 15. Figure 12 shows a typical population of microorganism colonies on a collection device following a period of about four days. In Figure 12, the darkened areas 23 each indicate a mold colony. As can be seen in Figure 12, adjacent colonies have begun to merge and, at this point, are ready to be counted. A sufficiently accurate count can thus be obtained by counting the number of dots, i.e., colonies, in a representative subset of the total number of squares of the grid printed on the collection device 12 within the circular area in which the culture medium has been activated. An average can be determined and multiplied by the total number of grids within the circular area to give an accurate estimate of the total count of microorganism colonies.

Figure 8 shows an alternative form of available collection device which may be incorporated into the kit and used in the practice of the invention. According to Figure 8, the substrate for the device comprises a single layer, non-porous plastic tape 24 of about 20-80 microns in thickness. The tape is provided with an adhesive layer 24a which is substantially non-inhibitory to the growth of the microorganisms intended to be collected. The adhesive may have additives incorporated in or on it which will aid in making the microbiological colonies more visually distinct and countable. Such additives can be antibiotics and dyes. The third layer 24b is a detachable cover layer which keeps the adhesive collection surface sterile.

Finger tabs 24c may be used to hold the tape substrate while pulling off cover layer 24b. The tape of Figure 8 is used in the method of the invention by removing the cover 24b and exposing the tape to air either actively in a volumetric sampler or passively by allowing the microorganisms to deposit themselves by gravity or by pressing the tape onto a surface. After collection the device is activated by removing the cover 15 of Petrifilm™ or a similar device and placing the device with its adhesive collection face down onto the hydrated surface as shown in Figure 3. The device now becomes the new cover over the growth medium and is pressed as described previously in Figure 6.

Figure 9 shows a further form of collection device useful in carrying out the invention. According to Figure 9, a non-porous substrate, typically available in tape form, has a microporous layer 25 adhesively attached hereto. Layer 26 has a Gurley porosity of less than 50 seconds and most preferably 0.1-25 seconds where Gurley porosity is defined as the time required to pass 100cc of air through 1.0 square inch of material at standard pressure. Layer 26 has an upper surface to which an adhesive layer comprised of an adhesive substantially non-inhibitory to the growth of microorganisms is applied. The adhesive may have additives incorporated in or on it which will aid in making the microbiological colonies more visually distinct and countable. Such additives can be antibiotics and dyes. A detachable cover layer 27 keeps the upper, adhesively coated surface of layer 26 substantially sterile. As in the device illustrated in Figure 8, finger tabs 25a and 27a are held by the user when peeling the protective cover layer off at the initiation of collection. Microporous films and compound films of the type described are known to those of ordinary skill in the art and are as substantially as described in Example 23 of U.S. Patent Nos. 4,539,256 and 5,089,413.

The collection device of Figure 9 is used by removing cover layer 27 to expose the adhesively coated collection layer 26. At the completion of collection, the adhesively coated collection layer 26 is inverted and mounted on a hydrated device of the type shown in Figures 3-6, pressed as illustrated in Figure 7 and incubated in the kit container. This dry collection device can also be activated after collection by mounting it with its collection race down directly on an agar surface or broth hydrated sterile pad. It is then incubated at an appropriate temperature and enumerated.

A further means and method of the invention are illustrated in Figure 10. Figure 10 shows a sterile dry collection device 30 encased within its protective enclosure 32. The device is a porous pad. The pad is attached to a double sided tape 31 which is permanently attached to the pad with an adhesive shown at 30a which is substantially non inhibitory to the growth of microorganisms. The other side of the double sided tape is releasably attached at 31b to the enclosure. After the pad 30 is removed from its enclosure and exposed to the air passively, or in an active volumetric sampler, or as a wipe sampler, it is returned to its enclosure or other sterile container, hydrated with between about 1-3 ml of an appropriate nutrient broth, the nutrient being appropriate to the microorganism to be cultured and in a quantity sufficient to hydrate substantially the matrix of the pad. The enclosure 32 is then resealed as shown at 32a to hold the hydrated pad within an aerobic, high humidity envelope. The device is incubated and enumerated according to standard methods.

Figure 11 shows still a further method of hydrating a porous pad 30 which has been exposed to gravitational collection or used as a wipe sampler or submitted to active collection in a volumetric sampler. The porous pad 30 with the collection surface face down is placed on

the culture-carrying surface 13 of the device of Figure 3. The pad is then activated by hydrating using an ampule 17. The cover layer 15 is then closed and the hydrating agent is dispersed into the circle defined by the annular ring 21 on the hand press 18.

According to a preferred form of the kit useful for testing for microorganisms in a home, a packet of ten collection devices 12 is provided to allow for sampling in most rooms in a typically sized home. The use of the transparent cover layers 15 allows for stacking of the collection devices without risk of cross contamination during the incubation period.

The following examples are submitted to illustrate but not limit this invention.

## EXAMPLES

Example 1. Petrifilm™ is used in this invention as a self-contained quantifiable dry collection device and growth and enumeration device. The Petrifilm™ is exposed to ambient air by lifting its top cover and peeling it back completely to its hinge with the bottom film. The top cover can be pulled partially away from the bottom film at their mutual adhesive hinge. This stretching of the hinge will allow the top cover to be laid back onto the surface and remain open during the sampling period. An adhesive tape may be used at the top and bottom edges of the open film in order to securely hold it open and in place.

At the end of the sampling period, the film is closed and removed to a flat, hard surface. The film is then reopened and hydrated with 1 ml of buffered water. The film is re-closed and a hand press is applied to the top of the film and the liquid is spread into a uniform circle between the top and bottom film. The film is incubated and enumerated as directed.

Example 2. A further dry collection method involves the use of single layer adhesive

tapes. The tape can be used actively to sample a specific area of a surface, passively via gravitational collection of microorganisms from the air or as the capture film in a volumetric pump sampler. The tape is coated with an adhesive which is substantially non-inhibitory to the growth of microorganisms. The tape may also contain dyes and other ingredients such as antibiotics in order to limit the growth of certain organisms. An example of this type of film is the top cover sheet of Petrifilm™. Tapes of this type are well known to those skilled in the art.

These thin (20-40 microns) tapes, after a collection event, are transferred to and laid on various nutrient-coated surfaces for hydration, to initiate germination, growth and enumeration. The preferred nutrient-coated surfaces are porous pads and Petrifilm™ (3M Company, St. Paul, Minnesota).

Example 3. Another dry collection method is the use of a multi-layered compound tape, the active collection surface of which is a micro-porous breathable adhesive film. The micro-porous breathable film is attached on one side to a non porous clear tape backing, creating the compound, clear tape. The outer surface of the micro-porous tape is coated with an adhesive which is substantially non-inhibitory to the growth of microorganisms. The micro-porous tape will preferably have a Gurley porosity between 0.1 and 25 seconds and may contain dyes, antibiotics or other chemical enhancements to aid in the germination, growth identification and visualization of the microorganisms.

The film is substantially the same in design to that of the bottom layer of Petrifilm™ as described in U.S. Patents 4,565,783 and 5,089,413 and RE35,286. However, this film is unique in that it is not coated with a nutrient medium and its preferred thickness is 40-100



microns so that it can be easily deformed onto the irregularities of collection surfaces and can subsequently be compressed easily into a confined area of hydration when placed on its nutrient device. Compound films of this type are well known to those skilled in the art.

The film may be used actively or passively to collect microbes from air or surfaces.

- 5 After collection, the film may be mounted on any agar surface or pad and hydrated with media broth or hydrated Petrifilm™.

Example 4. Collection pads made of various woven and non-woven natural and synthetic fibers which, after dry collection, are placed on hydrated nutrient agar surfaces or are hydrated with nutrient broths to initiate germination, growth and subsequent enumeration and quantification after the collection event. These collection pads are comprised of a complex web of micro-fibers which yield a rough textured capture surface relative to the size of the microorganisms as well as a deep complex capture web within the pads' structure. The micro-fibrous pads may also exhibit an electrostatic charge. These micro-fiber web pads are most suitable when air is turbulent or when the article or surface to which it is attached is in motion or an air stream is directed across it. The sterile pad is dispensed to the surface of interest from its packaging via forceps or sanitized gloved hand or attached tab. The pad may also be attached on one surface to one of the two tape devices described above or dispensed within its packaging envelope with one side exposed to the air.

- At the completion of the pads' exposure period, it is aseptically lifted from its test side and (1) placed on media specific Petrifilm™, and hydrated, covered, pressed as shown in figures 6,7 and 11, and incubated for subsequent growth, enumeration, and quantification; or (2) inserted into a sterile, clear, deformable plastic bag container, and hydrated with organism-

specific broth as shown in figure 10. The bag is pressed to spread the broth throughout the matrix. It is then incubated and enumerated as directed; or (3) it is hydrated with broth within the hydrophobic packaging unit in which it sits, the packaging unit is resealed, incubated and enumerated as directed; or (4) if the pad has a micro-porous backing film, it can be inverted  
5 and laid upon and pressed into fresh agar media, incubated and enumerated as directed; or (5) if the pad is attached to a micro porous compound adhesive film described above, it can be hydrated with appropriate nutrient broth and covered with an attaching layer of film which is affixed to the adhesive layer of the film surrounding the sample pad, thereby creating an aerated, sealed bubble-like chamber with a micro porous edge exposed to the air, which will keep the chamber aerobic.

All of the aforementioned dry collection devices have the advantage of enabling the practitioner to conduct long duration sampling times as compared to existing wet collection technologies which are limited to short duration exposures due to the agar desiccation and the resultant skinning over effect. These limitations are shown in the use of hydrated Petrifilm™  
15 for the wet collection of environmental microbials which is recommended by the manufacturer to be limited to 15 minutes.

Most volumetric, active pump samplers acquire a limited volume of air in the range of 100 liters in one (1) or two (2) minutes. These short duration sampling periods proscribed by wet collection technologies greatly limits the usefulness of the data obtained to very narrow  
20 conclusions about overall air quality at the given test minute or 15 minutes. Furthermore, the equipment used in active pump sampling is extremely expensive as compared to the proposed devices of the present invention.

In addition, the active pump sampling technology can only take one sample at one location at a time, requiring a technician to be in attendance. The proposed invention allows a practitioner/user to conduct multiple tests at the same time in a variety of diverse test locations in order to do concurrent bioburden comparisons.

5           Example 5. The invention further provides for the construction of a kit which combines one or more of the collection and enumeration devices and all the pertinent parts thereto for consumer use, i.e., which is not limited in use to scientific practitioners skilled in the field of microbiology. The kit is composed of the following items:

- a. A dry matrix which will actively or passively collect environmental air mold spores;
- b. A sterile or non-sterile activating broth or re-hydrating liquid that will induce environmental air mold spores to germinate and grow on the matrix in the pattern density in which it was collected;
- c. A container that may be used to store the activated matrices at an appropriate temperature range;
- d. Detailed use directions, a self-help tutorial that describes how to visually enumerate environmental air mold colonies growing on the activated matrix;
- e. Detailed instructions which may help the user to detect the source of the environmental air mold spores, and
- 20          f. Detailed instructions which may help the user to clean up the source of the environmental air mold spores using general clean-up procedures and commercially available fungicides.

Having thus described a few particular embodiments of the invention, various alterations, modifications, and improvements will readily occur to those skilled in the art. Such alterations, modifications and improvements as are made obvious by this disclosure are intended to be part of this description though not expressly stated herein, and are intended to  
5 be within the spirit and scope of the invention. Accordingly, the foregoing description is by way of example only, and not limiting. The invention is limited only as defined in the following claims and equivalents thereto.

0  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71  
72  
73  
74  
75  
76  
77  
78  
79  
80  
81  
82  
83  
84  
85  
86  
87  
88  
89  
90  
91  
92  
93  
94  
95  
96  
97  
98  
99  
100  
101  
102  
103  
104  
105  
106  
107  
108  
109  
110  
111  
112  
113  
114  
115  
116  
117  
118  
119  
120  
121  
122  
123  
124  
125  
126  
127  
128  
129  
130  
131  
132  
133  
134  
135  
136  
137  
138  
139  
140  
141  
142  
143  
144  
145  
146  
147  
148  
149  
150  
151  
152  
153  
154  
155  
156  
157  
158  
159  
160  
161  
162  
163  
164  
165  
166  
167  
168  
169  
170  
171  
172  
173  
174  
175  
176  
177  
178  
179  
180  
181  
182  
183  
184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244  
245  
246  
247  
248  
249  
250  
251  
252  
253  
254  
255  
256  
257  
258  
259  
260  
261  
262  
263  
264  
265  
266  
267  
268  
269  
270  
271  
272  
273  
274  
275  
276  
277  
278  
279  
280  
281  
282  
283  
284  
285  
286  
287  
288  
289  
290  
291  
292  
293  
294  
295  
296  
297  
298  
299  
300  
301  
302  
303  
304  
305  
306  
307  
308  
309  
310  
311  
312  
313  
314  
315  
316  
317  
318  
319  
320  
321  
322  
323  
324  
325  
326  
327  
328  
329  
330  
331  
332  
333  
334  
335  
336  
337  
338  
339  
340  
341  
342  
343  
344  
345  
346  
347  
348  
349  
350  
351  
352  
353  
354  
355  
356  
357  
358  
359  
360  
361  
362  
363  
364  
365  
366  
367  
368  
369  
370  
371  
372  
373  
374  
375  
376  
377  
378  
379  
380  
381  
382  
383  
384  
385  
386  
387  
388  
389  
390  
391  
392  
393  
394  
395  
396  
397  
398  
399  
400  
401  
402  
403  
404  
405  
406  
407  
408  
409  
410  
411  
412  
413  
414  
415  
416  
417  
418  
419  
420  
421  
422  
423  
424  
425  
426  
427  
428  
429  
430  
431  
432  
433  
434  
435  
436  
437  
438  
439  
440  
441  
442  
443  
444  
445  
446  
447  
448  
449  
450  
451  
452  
453  
454  
455  
456  
457  
458  
459  
460  
461  
462  
463  
464  
465  
466  
467  
468  
469  
470  
471  
472  
473  
474  
475  
476  
477  
478  
479  
480  
481  
482  
483  
484  
485  
486  
487  
488  
489  
490  
491  
492  
493  
494  
495  
496  
497  
498  
499  
500  
501  
502  
503  
504  
505  
506  
507  
508  
509  
510  
511  
512  
513  
514  
515  
516  
517  
518  
519  
520  
521  
522  
523  
524  
525  
526  
527  
528  
529  
530  
531  
532  
533  
534  
535  
536  
537  
538  
539  
540  
541  
542  
543  
544  
545  
546  
547  
548  
549  
550  
551  
552  
553  
554  
555  
556  
557  
558  
559  
560  
561  
562  
563  
564  
565  
566  
567  
568  
569  
570  
571  
572  
573  
574  
575  
576  
577  
578  
579  
580  
581  
582  
583  
584  
585  
586  
587  
588  
589  
590  
591  
592  
593  
594  
595  
596  
597  
598  
599  
600  
601  
602  
603  
604  
605  
606  
607  
608  
609  
610  
611  
612  
613  
614  
615  
616  
617  
618  
619  
620  
621  
622  
623  
624  
625  
626  
627  
628  
629  
630  
631  
632  
633  
634  
635  
636  
637  
638  
639  
640  
641  
642  
643  
644  
645  
646  
647  
648  
649  
650  
651  
652  
653  
654  
655  
656  
657  
658  
659  
660  
661  
662  
663  
664  
665  
666  
667  
668  
669  
670  
671  
672  
673  
674  
675  
676  
677  
678  
679  
680  
681  
682  
683  
684  
685  
686  
687  
688  
689  
690  
691  
692  
693  
694  
695  
696  
697  
698  
699  
700  
701  
702  
703  
704  
705  
706  
707  
708  
709  
710  
711  
712  
713  
714  
715  
716  
717  
718  
719  
720  
721  
722  
723  
724  
725  
726  
727  
728  
729  
730  
731  
732  
733  
734  
735  
736  
737  
738  
739  
740  
741  
742  
743  
744  
745  
746  
747  
748  
749  
750  
751  
752  
753  
754  
755  
756  
757  
758  
759  
760  
761  
762  
763  
764  
765  
766  
767  
768  
769  
770  
771  
772  
773  
774  
775  
776  
777  
778  
779  
780  
781  
782  
783  
784  
785  
786  
787  
788  
789  
790  
791  
792  
793  
794  
795  
796  
797  
798  
799  
800  
801  
802  
803  
804  
805  
806  
807  
808  
809  
810  
811  
812  
813  
814  
815  
816  
817  
818  
819  
820  
821  
822  
823  
824  
825  
826  
827  
828  
829  
830  
831  
832  
833  
834  
835  
836  
837  
838  
839  
840  
841  
842  
843  
844  
845  
846  
847  
848  
849  
850  
851  
852  
853  
854  
855  
856  
857  
858  
859  
860  
861  
862  
863  
864  
865  
866  
867  
868  
869  
870  
871  
872  
873  
874  
875  
876  
877  
878  
879  
880  
881  
882  
883  
884  
885  
886  
887  
888  
889  
890  
891  
892  
893  
894  
895  
896  
897  
898  
899  
900  
901  
902  
903  
904  
905  
906  
907  
908  
909  
910  
911  
912  
913  
914  
915  
916  
917  
918  
919  
920  
921  
922  
923  
924  
925  
926  
927  
928  
929  
930  
931  
932  
933  
934  
935  
936  
937  
938  
939  
940  
941  
942  
943  
944  
945  
946  
947  
948  
949  
950  
951  
952  
953  
954  
955  
956  
957  
958  
959  
960  
961  
962  
963  
964  
965  
966  
967  
968  
969  
970  
971  
972  
973  
974  
975  
976  
977  
978  
979  
980  
981  
982  
983  
984  
985  
986  
987  
988  
989  
990  
991  
992  
993  
994  
995  
996  
997  
998  
999  
1000  
1001  
1002  
1003  
1004  
1005  
1006  
1007  
1008  
1009  
1010  
1011  
1012  
1013  
1014  
1015  
1016  
1017  
1018  
1019  
1020  
1021  
1022  
1023  
1024  
1025  
1026  
1027  
1028  
1029  
1030  
1031  
1032  
1033  
1034  
1035  
1036  
1037  
1038  
1039  
1040  
1041  
1042  
1043  
1044  
1045  
1046  
1047  
1048  
1049  
1050  
1051  
1052  
1053  
1054  
1055  
1056  
1057  
1058  
1059  
1060  
1061  
1062  
1063  
1064  
1065  
1066  
1067  
1068  
1069  
1070  
1071  
1072  
1073  
1074  
1075  
1076  
1077  
1078  
1079  
1080  
1081  
1082  
1083  
1084  
1085  
1086  
1087  
1088  
1089  
1090  
1091  
1092  
1093  
1094  
1095  
1096  
1097  
1098  
1099  
1100  
1101  
1102  
1103  
1104  
1105  
1106  
1107  
1108  
1109  
1110  
1111  
1112  
1113  
1114  
1115  
1116  
1117  
1118  
1119  
1120  
1121  
1122  
1123  
1124  
1125  
1126  
1127  
1128  
1129  
1130  
1131  
1132  
1133  
1134  
1135  
1136  
1137  
1138  
1139  
1140  
1141  
1142  
1143  
1144  
1145  
1146  
1147  
1148  
1149  
1150  
1151  
1152  
1153  
1154  
1155  
1156  
1157  
1158  
1159  
1160  
1161  
1162  
1163  
1164  
1165  
1166  
1167  
1168  
1169  
1170  
1171  
1172  
1173  
1174  
1175  
1176  
1177  
1178  
1179  
1180  
1181  
1182  
1183  
1184  
1185  
1186  
1187  
1188  
1189  
1190  
1191  
1192  
1193  
1194  
1195  
1196  
1197  
1198  
1199  
1200  
1201  
1202  
1203  
1204  
1205  
1206  
1207  
1208  
1209  
1210  
1211  
1212  
1213  
1214  
1215  
1216  
1217  
1218  
1219  
1220  
1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281  
1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342  
1343  
1344  
1345  
1346  
1347  
1348  
1349  
1350  
1351  
1352  
1353  
1354  
1355  
1356  
1357  
1358  
1359  
1360  
1361  
1362  
1363  
1364  
1365  
1366  
1367  
1368  
1369  
1370  
1371  
1372  
1373  
1374  
1375  
1376  
1377  
1378  
1379  
1380  
1381  
1382  
1383  
1384  
1385  
1386  
1387  
1388  
1389  
1390  
1391  
1392  
1393  
1394  
1395  
1396  
1397  
1398  
1399  
1400  
1401  
1402  
1403  
1404  
1405  
1406  
1407  
1408  
1409  
1410  
1411  
1412  
1413  
1414  
1415  
1416  
1417  
1418  
1419  
1420  
1421  
1422  
1423  
1424  
1425  
1426  
1427  
1428  
1429  
1430  
1431  
1432  
1433  
1434  
1435  
1436  
1437  
1438  
1439  
1440  
1441  
1442  
1443  
1444  
1445  
1446  
1447  
1448  
1449  
1450  
1451  
1452  
1453  
1454  
1455  
1456  
1457  
1458  
1459  
1460  
1461  
1462  
1463  
1464  
1465  
1466  
1467  
1468  
1469  
1470  
1471  
1472  
1473  
1474  
1475  
1476  
1477  
1478  
1479  
1480  
1481  
1482  
1483  
1484  
1485  
1486  
1487  
1488  
1489  
1490  
1491  
1492  
1493  
1494  
1495  
1496  
1497  
1498  
1499  
1500  
1501  
1502  
1503  
1504  
1505  
1506  
1507  
1508  
1509  
1510  
1511  
1512  
1513  
1514  
1515  
1516  
1517  
1518  
1519  
1520  
1521  
1522  
1523  
1524  
1525  
1526  
1527  
1528  
1529  
1530  
1531  
1532  
1533  
1534  
1535  
1536  
1537  
1538  
1539  
1540  
1541  
1542  
1543  
1544  
1545  
1546  
1547  
1548  
1549  
1550  
1551  
1552  
1553  
1554  
1555  
1556  
1557  
1558  
1559  
1560  
1561  
1562  
1563  
1564  
1565  
1566  
1567  
1568  
1569  
1570  
1571  
1572  
1573  
1574  
1575  
1576  
1577  
1578  
1579  
1580  
1581  
1582  
1583  
1584  
1585  
1586  
1587  
1588  
1589  
1590  
1591  
1592  
1593  
1594  
1595  
1596  
1597  
1598  
1599  
1600  
1601  
1602  
1603  
1604  
1605  
1606  
1607  
1608  
1609  
1610  
1611  
1612  
1613  
1614  
1615  
1616  
1617  
1618  
1619  
1620  
1621  
1622  
1623  
1624  
1625  
1626  
1627  
1628  
1629  
1630  
1631  
1632  
1633  
1634  
1635  
1636  
1637  
1638  
1639  
1640  
1641  
1642  
1643  
1644  
1645  
1646  
1647  
1648  
1649  
1650  
1651  
1652  
1653  
1654  
1655  
1656  
1657  
1658  
1659  
1660  
1661  
1662  
1663  
1664  
1665  
1666  
1667  
1668  
1669  
1670  
1671  
1672  
1673  
1674  
1675  
1676  
1677  
1678  
1679  
1680  
1681  
1682  
1683  
1684  
1685  
1686  
1687  
1688  
1689  
1690  
1691  
1692  
1693  
1694  
1695  
1696  
1697  
1698  
1699  
1700  
1701  
1702  
1703  
1704  
1705  
1706  
1707  
1708  
1709  
1710  
1711  
1712  
1713  
1714  
1715  
1716  
1717  
1718  
1719  
1720  
1721  
1722  
1723  
1724  
1725  
1726  
1727  
1728  
1729  
1730  
1731  
1732  
1733  
1734  
1735  
1736  
1737  
1738  
1739  
1740  
1741  
1742  
1743  
1744  
1745  
1746  
1747  
1748  
1749  
1750  
1751  
1752  
1753  
1754  
1755  
1756  
1757  
1758  
1759  
1760  
1761  
1762  
1763  
1764  
1765  
1766  
1767  
1768  
1769  
1770  
1771  
1772  
1773  
1774  
1775  
1776  
1777  
1778  
1779  
1780  
1781  
1782  
1783  
1784  
1785  
1786  
1787  
1788  
1789  
1790  
1791  
1792  
1793  
1794  
1795  
1796  
1797  
1798  
1799  
1800  
1801  
1802  
1803  
1804  
1805  
1806  
1807  
1808  
1809  
1810  
1811  
1812  
1813  
1814  
1815  
1816  
1817  
1818  
1819  
1820  
1821  
1822  
1823  
1824  
1825  
1826  
1827  
1828  
1829  
1830  
1831  
1832  
1833  
1834  
1835  
1836  
1837  
1838  
1839  
1840  
1841  
1842  
1843  
1844  
1845  
1846  
1847  
1848  
1849  
1850  
1851  
1852  
1853  
1854  
1855  
1856  
1857  
1858  
1859  
1860  
1861  
1862  
1863  
1864  
1865  
1866  
1867  
1868  
1869  
1870  
1871  
1872  
1873  
1874  
1875  
1876  
1877  
1878  
1879  
1880  
1881  
1882  
1883  
1884  
1885  
1886  
1887  
1888  
1889  
1890  
1891  
1892  
1893  
1894  
1895  
1896  
1897  
1898  
1899  
1900  
1901  
1902  
1903  
1904  
1905  
1906  
1907  
1908  
1909  
1910  
1911  
1912  
1913  
1914  
1915  
1916  
1917  
1918  
1919  
1920  
1921  
1922  
1923  
1924  
1925  
1926  
1927  
1928  
1929  
1930  
1931  
1932  
1933  
1934  
1935  
1936  
1937  
1938  
1939  
1940  
1941  
1942  
1943  
1944  
1945  
1946  
1947  
1948  
1949  
1950  
1951  
1952  
1953  
1954  
1955  
1956  
1957  
1958  
1959  
1960  
1961  
1962  
1963  
1964  
1965  
1966  
1967  
1968  
1969  
1970  
1971  
1972  
1973  
1974  
1975  
1976  
1977  
1978  
1979  
1980  
1981  
1982  
1983  
1984  
1985  
1986  
1987  
1988  
1989  
1990  
1991  
1992  
1993  
1994  
1995  
1996  
1997  
1998  
1999  
2000  
2001  
2002  
2003  
2004  
2005  
2006  
2007  
2008  
2009  
2010  
2011  
2012  
2013  
2014  
2015  
2016  
2017  
2018  
2019  
2020  
2021  
2022  
2023  
2024  
2025  
2026  
2027  
2028  
2029  
2030  
2031  
2032  
2033  
2034  
2035  
2036  
2037  
2038  
2039  
2040  
2041  
2042  
2043  
2044  
2045  
2046  
2047  
2048  
2049  
2050  
2051  
2052  
2053  
2054  
2055  
2056  
2057  
2058  
2059  
2060  
2061  
2062  
2063  
2064  
2065  
2066  
2067  
2068  
2069  
2070  
2071  
2072  
2073  
2074  
2075  
2076  
2077  
2078  
2079  
2080  
2081  
2082  
2083  
2084  
2085  
2086  
2087  
2088  
2089  
2090  
2091  
2092  
2093  
2094  
2095  
2096  
2097  
2098  
2099  
2100  
2101  
2102  
2103  
2104  
2105  
2106  
2107  
2108  
2109  
2110  
2111  
2112  
2113  
2114  
2115  
2116  
2117  
2118  
2119  
2120  
2121  
2122  
2123  
2124  
2125  
2126  
2127  
2128  
2129  
2130  
2131  
2132  
2133  
2134  
2135  
2136  
2137  
2138  
2139  
2140  
2141  
2142  
2143  
2144  
2145  
2146  
2147  
2148  
2149  
2150  
2151  
2152  
2153  
2154  
2155  
2156  
2157  
2158  
2159  
2160  
2161  
2162  
2163  
2164  
2165  
2166  
2167  
2168  
2169  
2170  
2171  
2172  
2173  
2174  
2175  
2176  
2177  
2178  
2179  
2180  
2181  
2182  
2183  
2184  
2185  
2186  
2187  
2188  
2189  
2190  
2191  
2192  
2193  
2194  
2195  
2196  
2197  
2198  
2199  
2200  
2201  
2202  
2203  
2204  
2205  
2206  
2207  
2208